



GROUND SHARK™ BRUSH CUTTERS

For Skid Steer Loaders



Our best selling Ground Shark™ Brush Cutter is now available in standard and extreme duty classes. Ground Shark™ is the first choice for vegetation management professionals.



The **Ground Shark™** family of brush cutters have been engineered to handle your toughest vegetation management jobs. They are ideal for roadside maintenance, right of way clearing, site preparation, fire control, fence line maintenance, and trail maintenance.



- Ground Shark™ brush cutters are compatible with all major OEM branded Skid Steer Loaders
- They are available in standard and extreme duty classes, standard and high flow, and a variety of cutting widths from 60" to 78"
- Ground Shark™ is a proven best-seller for Paladin Attachments due to the innovative deck design, high performance, and aggressive machine profile



GROUND SHARK™ STANDARD DUTY BRUSH CUTTER

The new **Ground Shark™ Standard Duty Brush Cutter** is designed to clear light to medium density brush and hardwoods up to 4" in diameter. The entirely new drive train runs smooth and quiet while moving easily to clear the toughest material.

- Dual pressure reliefs on the hydraulic motor protect against pressure spikes that could damage the drive system
- If the situation requires, the cutting blades will stop rotating within seconds once the motor is disengaged minimizing the potential for damage to the machine and drive train



Available in 60" (standard flow), 72" (standard/high flow), and 78" (standard/high flow). Hydraulic couplers are included.



New motor and drive train.

An optional pressure gauge indicator easily visible to the operator helps prevent excessive stalling and overheating.



New .25" thick steel deck design.

Bi-directional blades allow the operator to cut in both directions extending operational life and reducing maintenance costs.



Replaceable skid shoes.

Optional dual wheel kits are available that mount to the underside of the front deck to keep the blades off the ground and prevent scalping.



When work needs to get done you need to be able to depend on your equipment. Our brush cutters are designed for maximum reliability, durability, and productivity.

Specifications	STANDARD DUTY						
Model		GSS72					
Order Number		30372A					
Recommended Hydraulic Flow (GPM)		15-25					
Height		24"					
Length		88"					
Width		76"					
Deck Height		9"					
Cutting Width		72"					
Cutting Capacity		4"					
Deck Thickness (Steel)		0.25"					
Required Skid-Steer Lift Capacity		1,400 lbs					
Weight (Approximate)		1,280 lbs					

